

# SHAWANO COUNTY

## GROUND DISTURBANCE SUPPLEMENTAL INFORMATION

\*Placement of between 18 and 199 cubic yards of fill is a permitted-by-right use that **requires a land use permit.**

\*On lots  $\leq 2$  acres a **Conditional Use Permit is required** for placement of 200 cubic yards of fill or greater.

\*On lots  $> 2$  acres a **Conditional Use Permit is required** for placement of 500 cubic yards of fill or greater.

Parcel No. \_\_\_\_\_ Site Address: \_\_\_\_\_

Proposed Land Disturbance Activities: \_\_\_\_\_

**\*Ground disturbance area includes area where equipment is tracking in and out, unless tracking pads are used.**

**\*Total Area of Disturbance:** \_\_\_\_\_ Acres or \_\_\_\_\_ Sq. Ft.

### Sediment/Erosion Control Measures:

- Silt Fencing
- Silt Socks
- Sediment Traps/Basins
- Erosion Control Blankets (Straw Mat)
- Ditch Check
- Vegetative Buffer
- Tracking Pad
- Other \_\_\_\_\_

### Is the area to be disturbed on a slope of:

< 20%                      12%-20%                      > 20%

### Type of Disturbance (Check All that Apply):

- Clearing / Grubbing
- Cutting
- Filling
- Grading
- Other \_\_\_\_\_

Will the cutting of vegetation occur within 35 feet of a navigable body of water?                      YES                      NO

Will the filling or grading occur within 300 feet of a navigable body of water?                      YES                      NO

### Land Disturbance Information:

Cut: \_\_\_\_\_ Cubic yards; Cut Materials relocated:                      On-Site                      Off-Site

Fill: \_\_\_\_\_ Cubic yards; \_\_\_\_\_ feet (maximum depth)

Fill material from:                      On-Site                      Off-Site                      Type of Material: \_\_\_\_\_

Describe equipment to be used (size and type): \_\_\_\_\_

### \*Must Include Erosion Control Plan and Stormwater Management Plan with:

- Distances to property lines, where fill and spoil piles will be placed and the dimensions of spoils when done.
- Final grade elevations and slope/flow direction relative to adjacent property lines and management of runoff.
- If ground disturbance within 35 feet of a navigable body of water, must show viewing corridor.
- Erosion and Sediment control measures (locations and materials) <https://widnr.widen.net/s/jnhltvbdzr/wiconstecfieldguide>

\*\*\*I certify that I have read, and understand the information on this form, and that the information I provided is true and accurate. If there is any deviation from the information provided the Shawano County P&D Dept. will be contacted at 715-526-6766.

Contact Name: \_\_\_\_\_ Signature: \_\_\_\_\_

Phone: \_\_\_\_\_ Email: \_\_\_\_\_ Date: \_\_\_\_\_